ANNUAL DRINKING WATER QUALITY REPORT FOR 2021

VILLAGE OF FLEISCHMANN'S 1017 Main Street Fleischmann's, New York and - noillid and alleg PLOCOLINES DELIC WATER SUPPLY ID # NY1200261 (LND) refined senuccon

To comply with State regulations, the Village of Fleischmanns annually issues a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system did not violate a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact Jim Buchan, the Chief Operator for the Village of Fleischmann's Water Department, at (845)-254-5945, or the Fleischmann's Village Clerk, at (845)-254-5514. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled village board meetings. The meetings are held on the second Monday of each month at 6:00 PM in the main room of the Skene Memorial Library at 1017 Main Street.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include streams, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or from human activities. Constituents that may be present in untreated source water include: microbes, minerals and in some cases organic chemicals. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water system serves approximately 1000 people during peak summer usage through 315 service connections. Our water source is mainly springs. Wells are also used when the springs cannot provide a sufficient amount of water during high demand events and/or drought conditions. The water is treated with chlorine as a disinfectant and orthophosphate to make the water less corrosive.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we regularly run a number of tests on your drinking water. The table presented below; lists compounds the State required us to test for this year. It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants, and their presence does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Oneonta District office of the New York State Health Department at (607) 432-3911. Below is a table of the contaminants that were above detected limits. This table does not represent the total of all sampling done by the Village of Fleischmanns, only those constituents detected.

Definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Non-Detect (ND): Laboratory analysis indicates that the constituent is not present.

Milligrams per liter (mg/l): Corresponds to one part of chemical in one million parts of liquid (parts per million – ppm).

Micrograms per liter (ug/l): Corresponds to one part of chemical in one billion parts of liquid (parts per billion – ppb)

Picocuries per liter (pCi/L): picocuries per liter is a measure of the radioactivity in water

Contaminant	Violation Yes/No	Sample Date	Level Detected (Maximum) (Range)	Unit measure- ment	Regulatory Limit	MCLG	Source of contamination
na Nitrate V son	protect protect th s oN da of or any	5/06/2021	Springs – 0.22 Ball Park – 0.05	mg/l	ons relsw on 10sw on rick ten	10 01 our tar our tar	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
State standards State standards basis	No No	8/31/2021	bns 2016	ug/l	15	0	Corrosion of household plumbing systems; Erosion of natural deposits.
Copper to 1 Copper	ns on att	8/31/2021	liage of fil Rieds at (To learn mo	mg/l	ol rolered Romanna 1.3 Water H	o 1.3 lel Flor phishnal	Corrosion of household plumbing systems; Erosion of natural deposits; leaching from wood
	ond Mon	n the sec		meetin	dings. The	sem by	preservatives.
Total Trihalomethanes (TTHMs – chloroform, bromodichloromethane, dibromochloromethane, and bromoform)	No valet	8/11/2021 irled ons eostrus us qu Xoi	19.35 of the property of the p	red vg/l red vs/l rear hal	80 Ministration of the second	NA W	By-product of drinking water chlorination needed to kill harmful organisms. TTHMs are formed when source water contains organic matter.
Haloacetic Acids (mono-, di-, and trichloroacetic acid, and mono- and dibromoacetic	ly be property of them of the of them	8/11/2021	neumanou so emoà ni de aranthe f ud vo dedivi no an limits	ons also lei G ug/ISV	60 ⁻¹	NA A	By-product of drinking water disinfection needed to kill harmful organisms.
Beta particle and photon activity from manmade	No mu	9/6/2017 3 ABB 0 0	Ball Park –	OpCi/l	50x ⁴ 0	s protes ves ^o pp Jur wat	Decay of natural deposits and man-made emissions
radionuclides Gross alpha activity (including radium – 226 but excluding radon and uranium)	koriqorib No	9/16/2017	Ball Park – 2.03	pCi/l	To drive be	0 5 0 01 8	Erosion of natural deposit
Arsenic	Yes	2/17/2021 4/06/2021 8/10/2021 10/27/2021	Ball Park – 7.5 *2 Ball Park – 8.7 *2 Ball Park – 9.3 *2 Ball Park – 12.0 *2	ug/l	to a second	NA Planta	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production waste
Arsenic 1188-584 (VDA) Off each elick a angulitation deor	ment at mits. The mits. The	3/10/2021 2/17/2021 4/06/2021 4/06/2021 8/10/2021 8/10/2021 10/27/2021 10/27/2021	Well # 3 - 11.4 *2 Well # 5 - 8.7 *2 Well # 3 - 21.8 *2 Well # 5 - 7.3 *2 Well # 3 - 15.7 *2 Well # 5 - 7.7	ug/I	alnanimal asob grilk	NA	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.
rat is allowed in iding water below f safety.		ple.	*2 Well # 3 – 15.0 *2 Well # 5 – 8.1 *2	IOM eni en Tujeu	is close to Goat (NC)	s des on Idval	mura Contarenten ing water, MCLs at Mura Conterninant a there is no know:

s alubarios grai Barium	No	6/04/2020 7/02/2019	Ball Park – 0.075 Springs –	mg/l	23UH ² 3EHTO	2 DMRT33	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural
g water operatin	e drinkin	iand elds:	0.022	animin	THUU III CO	N MARIEN	deposits. Organic or inorganic
Nickel	sample	7/02/2019 6/04/2020	Springs – 0.0006 Ball Park – 0.0006	mg/l	eent bns a	NA	pollutants originating from municipal and industrial waste
					PEAKING RE ISBS Infort	HBUBH Ingo et	discharges; natural sources.
Chloride	No	9/04/2016	Spring – 17.7	mg/l	eid sbneit 250	NA	Naturally occurring or indicative of road salt contamination.
	Ne	9/04/2016	Spring - 10	ug/l	300	NA	Naturally occurring
Iron	No	9/04/2016	Springs - 4.8	mg/l	250	NA	Naturally occurring
Sulfate	OB No		Springs - 4.0	mg/l	a ti vriw an	NA	Naturally occurring;
diss Sodium Wols	No P rates a sky works	9/04/2016	Spring - 9.6 *3	atment d	See Health Effects *3	ene as uces th	Road salt; Water softeners; Animal waste.
Zinc	No	9/04/2016	Springs - 0.005	mg/l	w ripuone	NA	Naturally occurring; Mining waste.
rought nelping	No	4/05/2021 8/10/2021	ntain essent	S Ug/I S	estrictions	NA	By-Product occurring in small amounts in
1,4 - Dioxane	acious of the amp	Well # 2 - 0.2 Well # 2 - 0.21	ter by b	t terving wat	anoo m	Shampoos, Detergents, Cleaning Products, and Cosmetics	

Automatic distriwashers use 15 gailons for every cycle, regardless of how many dishes are *1 - Lead & Copper; The level presented represents the 90th percentile of the 10 sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system.

WHAT DOES THIS INFORMATION MEAN?
The dates on the sample table above, reflect the last date sampled, not all parameters are sampled every year. Some are sampled yearly, some every 2-3 years, some every 6 years, and some are every 9 years. The results and dates are changed after it becomes necessary to resample that parameter on a given year. However, our sampling has revealed some elevated arsenic levels at the Ballpark water treatment plant. The Ballpark Treatment area is fed by Well's 3 & 5, these are all part of a backup system in case of a failure in our Village daily potable water system. This Well water does not normally get introduced to the Village water system but needs to be tested so if the need arises during an emergency it can be utilized. The elevated Arsenic

^{*2 -} The Ball Park Treatment area is fed by Well's 3 & 5, these are all part of a backup system in case of a failure in our Village daily potable water system. This Well water does not normally get introduced to the Village water system but needs to be tested so if the need arises during an emergency it can be utilized. The elevated Arsenic levels in the backup system are being addressed with an increased sampling schedule and quarterly monitoring "NYS and EPA have promulgated a drinking water arsenic standard of 10 parts per billion. While your drinking water meets the standard for arsenic, it does contain low levels of arsenic. Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

^{*3 -} Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.

^{*4 -} The State considers 50 pCi/L to be the level of concern for beta particles.

levels in the backup system are being addressed with an increased sampling schedule and quarterly monitoring

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2021, our system was in compliance with all applicable State drinking water operating, monitoring, and reporting requirements. The Village is required to sample the water system monthly for Coliform bacteria and these samples have all passed.

INFORMATION FOR NON-ENGLISH SPEAKING RESIDENTS

<u>Spanish</u> - Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

Saving water saves energy and treatment costs, helping us to keep rates as low as possible; Saving water reduces the need to construct additional water supply works and allows these improvements to supply enough water long into the future; and

Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions and maintain essential firefighting needs.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are

loaded. So get a run for your money and load it to capacity.

Turn off the tap when brushing your teeth.

Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a

day. Fix it up and you can save almost 6,000 gallons per year.

Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a
few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100
gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than
30,000 gallons a year.

WATER IMPROVEMENTS

Between 2007 and 2012 the Village received grants and interest free loans amounting to \$3 million to improve the water system. This funding was used to repair and improve the yield of the springs, improve well houses, and build a tank to store treated water. These improvements will help assure that the Village continues to maintain the high quality of the water. By taking advantage of grant and loan money, improvements have been completed at the lowest possible costs to the taxpayers.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. Please call me or our office, if you have questions.

Jim Buchan – Chief Operator - Fleischmann's Water Dept. 129 Main Street (845)-254-5945